

# ApeosPort -VII® 5021 / 4021

Front-running A4 multifunction devices that enable new ways of working



**FUJIFILM**

**FUJI xerox** 

# Easy. Connect. Secure.

Highly reliable A4 multifunction devices incorporating all advantages of the ApeosPort series

Intuitive operation, seamless integration, advanced security features --

The newly-released A4 multifunction devices offer all you can expect from the ApeosPort series.

The advanced features of the ApeosPort-VII 5021 / 4021 series help you work smarter.

This series accelerates the evolution of your work.



A4 Monochrome Multifunction Devices

## ApeosPort-VII 5021 / 4021

<b>Copy/Print</b> <b>53 ppm<sup>*1</sup></b>	<b>Scan</b> <b>Colour/Monochrome</b> <b>105 ppm<sup>*2</sup></b>	<b>FAX<sup>*3</sup></b> <b>Super G3 FAX</b>	<b>Printing resolution</b> <b>1200×1200 dpi</b>
<b>Wireless LAN Supported</b>		<b>Mobile Support</b>	


Note: The above pictures show ApeosPort-VII 4021 (standard configuration), ApeosPort-VII 5021 (standard configuration + three optional 550-Sheet Feeders and an optional Caster), and ApeosPort-VII 5021 (standard configuration + two optional 550-Sheet Feeders and an optional Cabinet) from the left.

\*1: For 5021. 48 ppm for 4021. \*2: Standard Paper (A4), 200 dpi, to Folder. For 5021 when both sides of a sheet are scanned through a single pass using the Duplex Automatic Document Feeder. 96 ppm for 4021. \*3: Optional.



Efficiently combining A4 and A3 devices

The ApeosPort-VII 5021 / 4021 multifunction devices have the same UI and features as their A3 equivalents. This leads to the optimum use of both A3 and A4 devices in one office and makes it easier to build the environment for server-less on-demand printing, minimising the trouble that comes with device management.



# Stylish, high-speed devices that are fully featured



## Easy-to-use 7-inch touch panel<sup>1</sup>

- Smartphone-like operation
- Angle adjustment mechanism that gives you an easier view
- Light and sound notifications
- Support for multiple languages<sup>2</sup>
- Comes standard with the NFC<sup>3</sup> touch area



## Directly printing from or scanning to USB<sup>4</sup>

- It is possible to print documents stored on a USB memory or save scanned data to the memory without using a computer.



## Space-saving IC card reader<sup>4</sup>

- Designed to save space, the ApeosPort-VII 5021 / 4021 series can house a built-in IC card reader.



## High-speed copying/scanning of a large volume of documents<sup>5</sup>

- Scanning of the both sides of a 2-sided document at once
- Duplex Automatic Document Feeder that holds a maximum of 100 sheets<sup>6</sup>



## Trays/feeders holding a maximum of 2350 sheets<sup>7</sup>

- Despite being small, the ApeosPort-VII 5021 / 4021 series comes standard with trays that can hold as many as 700 sheets (the bypass tray and standard tray can hold 150 sheets and 550 sheets respectively).
- Up to three optional 550-Sheet Feeders can be installed to have one bypass tray and four trays in total.



## Printing envelopes<sup>8</sup> and thick paper with a smooth surface

- Automatic adjustment of pressure to print envelopes.
- Gently sloping paper feed path so that thick paper can be supported.

## Small but excellent

- Super EA-Eco toner, toner that has the industry's smallest particle size, reproduces small characters and thin lines sharply and creates a smooth gradient.
- Image Enhancement processing reproduces diagonal lines and the outlines of characters, which can become jagged when printed, more smoothly.

## Energy- efficient

- Both high image quality and energy efficiency are ensured by Super EA-Eco toner, which has low-temperature fusing properties, and a compact, energy-efficient LED printhead that offers high image quality.

\*1: For 5021. 5-inch touch panel for 4021. \*2: Japanese, English, Chinese (Simplified and Traditional), Korean, Thai, Vietnamese, and Indonesian. \*3: Passive Near Field Communication. \*4: Optional. \*5: 4021 does not have the automatic document size detection feature. \*6: For 5021. 50 sheets for 4021. \*7: 80 gsm paper. \*8: Envelopes are fed from the bypass tray.

## Counter services

## Reducing wasted time during customer service

Being compact, the ApeosPort-VII 5021 / 4021 series fits into a counter service area. You can copy or scan documents without leaving the counter and making your customer wait.



## Stores


## Strengthening the integration of the headquarters and branch stores

It is possible to automate a series of jobs to scan and send documents to the headquarters by registering settings so that you can send documents with one touch of an icon. This enables you to send reports easily even if you don't have a computer at hand.

# 360° data security

## ApeosPort is equipped with both user-friendliness and security measures

Comprehensive security measures protect your important information against threats such as unauthorised access, information leakage, and data tampering.



<sup>\*1</sup>: Optional.  
<sup>\*2</sup>: Trusted Platform Module

### Authentication in Azure Active Directory

ApeosPort-VII 5021 / 4021 devices can integrate with Microsoft Azure Active Directory, a cloud-based identity management service. Azure Active Directory can be used for authenticating to multifunction devices.

### Server-less user authentication

The server-less authentication feature\* makes an authentication server unnecessary. Associating user information registered to multifunction devices with the ID information of IC cards makes it possible to share the user information among all multifunction devices connected to a parent device, enabling server-less user authentication on the devices.

\*: Optional.

# End to end automated workflow

## Multifunction devices learn your habits

ApeosPort-VII 5021 / 4021 devices learn your habits -- your preferred features, settings, etc. You can also customise the operation screen displayed after authentication to your needs as well as the common operation screen.


## Custom home screen and feature list



Move an icon just by dragging/dropping while long tapping it.

You can specify the icons (apps) and their arrangement on the home screen or features and their order on lists displayed on job screens with an easy, intuitive operation. You can also hide the features you do not need.

## Complete routine tasks with one touch



A desired colour, design, and name can be specified for an icon.

Your preferred features and settings can be registered to appear on the home screen as one-touch apps. Just tapping a one-touch app completes your routine task.

 **Fax to Company XX**  
Registering a recipient prevents misdirected faxes.

 **Scan application forms**  
The trouble of specifying a file format or storage destination each time is eliminated.

## Support non-routine tasks with high flexibility



Settings like the N-up option and number of copies can be changed every time a preset is selected.

Saving the settings as a preset eliminates the trouble of specifying complicated settings each time. Every time the preset is selected, you can tailor the settings to the preferences at that time, which streamlines your work process.

## Copy an ID card on one side of a sheet


With the ID Card Copy feature, both sides of an ID card, such as a driver's licence card or health insurance card, can be printed aligned with each other on one side of a sheet. You can also enlarge the images to get a better view of them.



## Automate scan processes for regular work tasks

Using the Scan Delivery\* automates the process of scanning and saving documents to predefined destinations according to the rules specified for each task or document type, eliminating the need to manually specify file names or formats and perform OCR processing\*. You can also extract characters from certain areas of a document and use them for the folder or file name.

\*: Optional.



## Automate scan processes for individual users


ScanAuto\* makes it possible to automatically optimise scan settings depending on the document orientation, sides to scan, etc. When the Authentication feature is used, the destination is automatically set to the authenticated user's address.

\*: Only supported by 5021.

## Fax settings that lead to reduced waste and higher efficiency

By configuring the Paperless Fax settings, you can store received faxes in folders so that only necessary faxes are printed after being checked on the control panel. Faxes can also be forwarded to your smartphone. With an optional kit, you can also sort them by fax number, received date, or person in charge and switch the behaviour of a multifunction device. With one touch, you can change the setting to forward incoming faxes by email, which allows you to check them from outside the office.

- Minimising paper output
- Checking incoming faxes outside the office
- Automatic sorting and forwarding
- Changing the behaviour of a multifunction device when a fax is received depending on the time of day



# Borderless workspace

## Your smartphone is now a control panel

Using Portable UI for Business\* allows you to send a copy, fax, or scan job to an ApeosPort-VII 5021 / 4021 device with an iOS or Android™ smartphone at no additional cost.

This makes it possible to start the job just by holding the smartphone near the NFC\*\* touch area.

Note: A wireless communication network connected to an access point is required.

\*: Can be downloaded from Google Play™ or AppStore for free.

\*\*: Passive Near Field Communication



## Wi-Fi and Wi-Fi Direct make multifunction devices wireless

Being wireless-enabled, ApeosPort-VII 5021 / 4021 devices can be installed anywhere in your office. The devices accept print or scan jobs sent from laptops or smartphones<sup>1</sup>, realising more flexible working. Supported wireless printing features include Print Utility, AirPrint, and Mopria® Print Service.


### Print Utility\*<sup>2</sup>

This app enables a user to start a print or scan job just by holding a smartphone over the NFC<sup>3</sup> touch area, saving the trouble of specifying from which multifunction device a document is to be printed or scanned.

\*1: Available only when the multifunction device is connected to a Wi-Fi network.

\*2: Can be downloaded from Google Play™ or AppStore for free.

\*3: Passive Near Field Communication.



## No need to queue up for printing

Server-less On-Demand Print\* allows you to release a print job from a multifunction device other than the one specified when the job was submitted if the device is being used by another person, eliminating the need to wait for your turn.

\*: Optional.

# ApeosPort-VII 5021 / 4021 Functions & Specifications

## Basic Specifications/Copy Function

Item	Description	
	ApeosPort-VII 5021	ApeosPort-VII 4021
Type	Desktop	
Memory Capacity	4 GB (Max: 4 GB)	
Storage Device Capacity <sup>*1</sup>	128 GB	
Scan Resolution	600 x 600 dpi	
Printing Resolution	1200 x 1200 dpi	
Warm-up Time	33 seconds or less (23 degrees Celsius room temperature)	
Original Size	Maximum of A4, Letter, Legal for both Sheet and Book	Maximum of A4, Letter, Legal <sup>*2</sup> for both Sheet and Book
Paper Size	Max	A4, Letter, Legal
	Min	A6 [64 x 127 mm when using Bypass Tray]
Image loss width	Lead edge	4.0 mm, Trail edge 4.0 mm, Right/Left edge 4.0 mm
	Right/Left edge	4.0 mm
Paper Weight <sup>*3</sup>	Paper Tray	60 to 220 gsm
	Bypass Tray	60 to 220 gsm
First Copy Output Time	6.0 sec. (A4)	
Continuous Copy Speed <sup>*4</sup>	Standard	53 ppm
	Optional	48 ppm
Paper Tray Capacity <sup>*5</sup>	Standard	Standard Tray: 550 sheets Bypass Tray: 150 sheets
	Optional	550-Sheet Feeder: 550 sheets
	Max	2350 sheets [Standard + 550-Sheet Feeder x 3]
Output Tray Capacity <sup>*5</sup>	250 sheets	
Power Supply	AC220-240 V +/- 10 %, 8 A, 50/60 Hz common	
Maximum Power Consumption	1390 W Sleep Mode: 0.5 W Low Power Mode: 9 W Ready Mode: 62 W	
Dimensions	W 470 x D 503 <sup>*6</sup> x H 585 <sup>*8</sup> mm	W 420 x D 503 <sup>*6</sup> x H 565 <sup>*8</sup> mm
Weight <sup>*9</sup>	29 kg	27 kg

\*1: The Storage Device Capacity is not totally available for customers.

\*2: Not available on Scanner Glass for ApeosPort-VII 4021.

\*3: It is recommended to use our recommended paper. Correct print output may not be possible depending on the requirement.

\*4: The speed may be reduced due to the image quality adjustment.

\*5: 80 gsm paper.

\*6: The motor part of Duplex Automatic Document Feeder rear is included.

\*7: CI Badge is excluded. When CI Badge is included, 2.7 mm is added.

\*8: 550-Sheet Feeder (height): 123 mm (The height increment when the option is installed).

\*9: Including Toner Cartridge. 550-Sheet Feeder: 6.6 kg.

## Print Function

Item	Description	
Type	Built-in type	
Continuous Print Speed <sup>*1</sup>	Same as the Basic Specifications / Copy Function	
Printing Resolution	Standard	[PCL Driver] Standard: 1200 x 1200 dpi, High Quality: 1200 x 1200 dpi, High Resolution: 1200 x 1200 dpi
	Optional	[Adobe® PostScript® 3™ Driver] High Speed (Standard): 1200 x 1200 dpi, High Quality: 1200 x 1200 dpi, High Resolution: 1200 x 1200 dpi
Page Description Language	Standard	PCL5 / PCL6
	Optional	Adobe® PostScript® 3™
Supported Operating System <sup>*2</sup>	Standard	[PCL Driver] Windows 10 (32 bit / 64 bit), Windows 8.1 (32 bit / 64 bit), Windows Server 2019 (64 bit), Windows Server 2016 (64 bit), Windows Server 2012 R2 (64 bit), Windows Server 2012 (64 bit), [Mac OS X Driver] macOS 10.15 / 10.14 / 10.13 / 10.12, OS X 10.11
	Optional	[Adobe® PostScript® 3™ Driver] Windows 10 (32 bit / 64 bit), Windows 8.1 (32 bit / 64 bit), Windows Server 2019 (64 bit), Windows Server 2016 (64 bit), Windows Server 2012 R2 (64 bit), Windows Server 2012 (64 bit), macOS 10.15 / 10.14 / 10.13 / 10.12, OS X 10.11
Interface	Standard	Ethernet 1000BASE-T / 100BASE-TX / 10BASE-T, USB3.0, USB2.0
	Optional	Wireless LAN (IEEE 802.11 a / b / g / n / ac)

\*1: The speed may be reduced due to the image quality adjustment. The printing speed may be reduced depending on the document.

\*2: Please refer to our official website for the latest supported OS.

## Scan Function

Item	Description	
Type	Colour Scanner	
Scan Resolution	600 x 600 dpi, 400 x 400 dpi, 300 x 300 dpi, 200 x 200 dpi	
Scan Speed	Same as the Scan Speed for the Duplex Automatic Document Feeder	
Interface	Standard	Ethernet 1000BASE-T / 100BASE-TX / 10BASE-T
	Optional	Wireless LAN (IEEE 802.11 a / b / g / n / ac)

## Fax Function (Optional)

Item	Description
Original Size	Max: A4, Legal <sup>*1</sup>
Recording Paper Size	Max: A4, Legal; Min: A5
Transmission Time	2 seconds and more but fewer than 3 seconds <sup>*2</sup>
Transmission Mode	ITU-T G3
Applicable Lines	Telephone subscriber line, PBX, Fax Communication (PSTN), Maximum 1 port <sup>*3</sup> (G3-1 port)

\*1: Not available on Scanner Glass for ApeosPort-VII 4021.

\*2: When A4 size document with approximately 700 characters is transmitted in standard image-quality (8 x 3.85 lines/mm) and in high-speed mode (28.8 kbps or faster, JBIG). Only indicates the time for transmitting the image information and does not include the communication control time. The total communication time will vary depending on the contents of the document, the type of machine receiving the fax, and line condition.

\*3: No. of FAX lines is up to 1 port. Port refers to number of channels for FAX.

## Duplex Automatic Document Feeder

Item	Description	
	ApeosPort-VII 5021	ApeosPort-VII 4021
Original Size / Paper Weight	Max: A4, Letter, Legal; Min: A5 <sup>*1</sup> 60 to 128 gsm (In Duplex: 60 to 128 gsm)	
Capacity <sup>*2</sup>	100 sheets	50 sheets
Scan Speed <sup>*3</sup>	Copy (A4, Simplex)	B/W: 53 ppm
	Scan	B/W: 53 ppm, Colour: 53 ppm (1 pass, 2 sided scanning; B/W and Colour: 105 ppm) [Standard Document (A4), 200 dpi, to Folder.]
		B/W: 48 ppm (1 pass, 2 sided scanning; B/W and Colour: 96 ppm) [Standard Document (A4), 200 dpi, to Folder.]

\*1: The minimum custom size is 139.7 x 139.7 mm.

\*2: 80 gsm paper.

\*3: The scanning speed varies depending on the documents.

### Notes

- To comply with paper weight specifications, it is recommended to use our recommended paper. Document may not be printed correctly depending on usage conditions.
- Functional spare parts will be available for at least 7 years after the product is no longer manufactured.

Apple, iPhone, AirPrint, iPad, iPad Air, iPad Pro, iPod touch, and Mac are trademarks of Apple Inc., registered in the U.S. and other countries. All product names and company names mentioned in this brochure are trademarks or registered trademarks of their respective companies. The product specifications, appearance and other details in this brochure are subject to change without notice for improvements. The available model varies depending on the country/region. Please ask the sales representatives for details.

**Reproduction Prohibitions** Please note that reproduction of the following is prohibited by law : Domestic and foreign currencies, government-issued securities, and national bonds and local bond certificates. Unused postage stamps, post cards, etc. Certificate stamps stipulated by law. Reproducing works forming the subject matter of copyright (literary works, musical works, paintings, engravings, maps, cinematographic works, drawings, photographic works, etc.) is not permitted unless the reproduction is for the purpose of personal use, family use or other similar uses within a limited circle.

 **For Your Safety**  
Before using the product, read the Instruction Manual carefully for proper use. Use the product with the power source and voltage specified. Be sure to establish ground connection. Otherwise, electronic shock may result in the case of a failure or short circuit.

**astragraphia**  
member of ASTRA

