

# Phaser® 7100 A3 Colour Printer

Impactful colour plus oversize printing, now on your desktop.



# Phaser® 7100 A3 Colour Printer

Get the results your work demands. Renowned Fuji Xerox print quality meets a desktop colour printer that gives your office documents superior visual impact. The Phaser 7100 Colour Printer excels at producing exceptional detail and clarity on a wide variety of media – including oversize paper – providing the capabilities you need to ensure every important print job makes a strong impression.

#### **Print Quality You Can Count on**

The Phaser 7100 Colour Printer delivers exceptional print quality on the documents that enhance business communications even on oversize media.

- Clearly superior results. True 1200 x 1200 dpi resolution delivers superior sharpness and clarity on every page you print. You get impressive fine-line definition and crisp fonts that stay legible even at smaller point sizes.
- Reliable precision. True Adobe® PostScript® 3™ ensures that visually rich documents print reliably and quickly, while Xerox® colour correction technology make sure that specified colours print accurately and consistently.
- Superior toner. Our EA Toner fuses at a much lower temperature, and reduces overall energy consumption during manufacturing and operation by up to 20% and CO<sub>3</sub> emissions by nearly 30%, compared to conventional toner. It's also oil-free, delivering brilliant, glossy output, even on ordinary paper.

#### Flexible Productivity

It doesn't matter if your documents are colour or black and white, A4-size or oversize – the Phaser 7100 Colour Printer has the power and features you need to handle a variety of office print jobs.

- Fast output. Print jobs are ready when you are thanks to a colour and black and white print speed of up to 30 ppm for A4-size documents.
- Networked to share. With standard Ethernet you can locate the Phaser 7100 where it's most convenient.

#### Increase accountability and reduce

costs. Use accounting features to track and analyse both colour and black-only printing, and to accurately charge back billing for individuals or departments.

Peace of mind. An on-site warranty ensures that your printer will be on-line,

• all the time.

#### Simplicity in Your Office

Whether you place the Phaser 7100 Colour Printer on a desktop or configure a floor standing solution, you get superior printer management capabilities and innovative features that make it especially easy to use.

- Compact and resourceful. Sized to fit your work group's space and printing needs, it's available as a low-profile desktop printer, or it can be configured into a highly productive floor-standing model with up to three additional 550-sheet trays – for a total paper capacity of 2,050 sheets.
- Effortless printer management. Our CentreWare® Internet Services embedded web server helps you save precious time. Enjoy configuration cloning and automatic installation, and view job status and troubleshoot right from your web browser.
- **Bi-directional communication.** Get instant updates on your print jobs, along with toner supply levels, from the front panel, your desktop or even over the web. Pop-up alerts immediately notify you of any print problems and how to fix them quickly, giving users more time to focus on their work.

#### Phaser® 7100 Quick Facts

- Print up to 30 ppm colour and black and white
- True 1200 x 1200 dpi print resolution
- True Adobe® PostScript® 3<sup>Th</sup>
- First-page-out time as fast as 9 seconds black and white, 11 seconds colour
- Optional automatic two-sided printing
- Standard 400-sheet paper capacity (expandable to 2,050 sheets)



**Print** 

**A3** 

WxDxH: 499.5 x 538 x 406 mm Weight: 44 kg





250-sheet output tray.

2

Optional Productivity Kit adds helpful font storage and Network Accounting capabilities, plus increased security with Hard Disk Encryption and Overwrite.

3

150-sheet Bypass Tray feeds a wide range of custom sized media all the way up to A3, as well as 210 x 900 mm and 297 x 1200 mm banners.

4

250-sheet Tray 1 with automatic paper size sensing supports paper sizes up to 297 x 432 mm

6

Up to three additional 550-sheet Feeders with automatic paper size sensing support paper sizes up to  $297\,x\,432$  mm and boost total paper capacity to 2,050 sheets.

6

Optional System Cart with Storage Drawer provides storage for a complete set of toner cartridges.



#### Comprehensive Security

- Easy management. Powerful tools let you control who prints in colour, and when.
- **Private data stays secure.** SecurePrint holds the job in the queue until a PIN is entered at the printer, and Image Overwrite "shreds" data after every job or on request.
- A good network citizen. Built-in support for the latest security protocols including IPv6, 802.1X Authentication and Secure HTTPS (SSL).

#### **Options**

- Productivity Kit (includes 40 GB hard drive)
- 550-sheet feeder
- Automatic two-sided printing
- System Cart with Storage Drawer
- 1 GB Memory Upgrade

## Phaser® 7100

### A3 Colour Printer



Function	Product Name	Phaser 7100N
Pint Speed (A4)    Up to 30 ppm colour / 30 ppm block and white   Pint Speed (A4)   Up to 30 ppm colour / 30 ppm block and white   Pint Speed (A4)   Up to 30 ppm colour / 30 ppm block and white   Pint Speed (A4)   Up to 10 ppm colour / 30 ppm block and white   Up to 10 ppm colour / 30 ppm block and white   Up to 10 ppm colour / 30 ppm block and white   Up to 10 ppm colour / 30 ppm block and white   Up to 10 ppm colour / 30 ppm block and white   Up to 10 ppm colour / 30 ppm block and white   Up to 10 ppm colour / 30 ppm block and white   Up to 10 ppm colour / 30 ppm block and white   Up to 10 ppm colour / 30 ppm block and white   Up to 10 ppm colour / 30 ppm block and white   Up to 10 ppm colour / 30 ppm block and white   Up to 10 ppm colour / 30 ppm block and white   Up to 10 ppm colour / 30 ppm block and white   Up to 10 ppm colour / 30 ppm block and white   Up to 10 ppm colour / 30 ppm colour / 30 ppm block and white   Up to 10 ppm colour / 30 ppm colour / 3		
Pint Speed (A)		AS COLOUI FILLER
Part   200x 1200 x 12		Lin to 30 ppm colour / 30 ppm black and white
First page out Time (AA SET) (from redy mode) (Item medy		
Manuary		
Memory     1.68   2.68     PDe	(from ready mode)	As fast as 11 seconds colour / 9 seconds black and white
Processor	Warm-up time	Less than 5 seconds (from sleep mode)
Post	Memory	1 GB / 2 GB
Connectivity    Management   Reconstruction   Productive State   Produ	Processor	667 MHz
Device Management    Service Management   Service Management	PDL	PostScript® Fonts: 136; PCL® Fonts: 82
Supported Operating System  Supported Operating System  Part Robinson Agent Color Deliver May Part and later, 50% 110.5 and later, various Linux's and later warrow. Moleir Express Dires*  Security  Place, 802.1X Authentication, Secure HTTPS (SSL), IP-6 compatibility, SMMPX, IP-filtering, Secure Print, Image Deservite, Port Control Accounting  National Machinery Machinery (Studenth Accounting)  Print Features  Standard  Optional  Productivity KII, with A GB Hand Device, Productivity KII WII  Productivity KII, with A GB Hand Device, Productivity KII with A GB Ha	Connectivity	10/100Base-T Ethernet, USB 2.0
Supported Operating System    Windows® PX and Later, OSP X 10.5 and Later, writous	Device Management	Xerox® CentreWare® Internet Services, CentreWare Web, Email alearts, Job Accounting, Web Admin Interface, Apple® Bonjour, Xerox® (Global Print Driver®, Xerox® Mobile Express Driver®
Accounting Maching Maximum Duty Cycle Duplex Printing Up to 520 Optional Dimensions (WxDxH) Dimensions (WxDx	Supported Operating System	Windows® XP and later, OS® X 10.5 and later, various Linux® and Unix distributions, Xerox® Global Print Driver,
Accounting Service Standard Accounting (sequires Productivity RE) Water Standard Accounting (sequires Productivity RE)  Dupless Printing  Optional Standard  Deptonal Productivity KE (with A OGB Hand Dine): Adds Font Stange, Network Accounting, 128 bit Hard Disk Encryption, Hard Disk Nowwitt, and increased Secure Incompany and Security Cettificate protection  Dimensions (WxDxH) 499.5 x 538 x 406 mm  Weight (without supplies) 44kg  Poper Input Standard Bypass Tray; 150 shorts: Custom sizes: 154 x 210 mm to 297 x 422 mm  Poper Input Standard Bypass Tray; 150 shorts: Custom sizes: 154 x 210 mm to 297 x 422 mm  Optional Tray; 250 shorts: Custom sizes: 154 x 210 mm to 297 x 422 mm  Tray; 250 shorts: Custom sizes: 154 x 210 mm to 297 x 422 mm  Poper Input Standard Bypass Tray; 150 shorts: Custom sizes: 154 x 210 mm to 297 x 422 mm  Poper Input Standard Bypass Tray; 150 shorts: Custom sizes: 154 x 210 mm to 297 x 422 mm  Poper Input Standard Bypass Tray; 150 shorts: Custom sizes: 154 x 210 mm to 297 x 422 mm  Poper Input Standard Bypass Tray; 150 shorts: Custom sizes: 154 x 210 mm to 297 x 422 mm  Media Output Capacity Standard Bypass Tray; 150 shorts: Custom sizes: 154 x 210 mm to 297 x 422 mm  Media Output Capacity Standard Bypass Tray; 150 shorts: Custom sizes: 154 x 210 mm to 297 x 422 mm  Media Output Capacity Standard Bypass Tray; 150 shorts: Custom sizes: 154 x 210 mm to 297 x 422 mm  Media Output Capacity Standard Bypass Standard	Security	IPsec, 802.1X Authentication, Secure HTTPS (SSL), IPv6 compatibility, SNMPv3, IP Filtering, Secure Print, Image Overwrite, Port Control
Monthly Maximum Duty Cycle   Up to \$2,000 pages / month	Accounting	
Duples himining	Monthly Maximum Duty Cycle	
Optional   Productivity Kit (with 4.0 GB Hard Dixe): Adds First Storage, Network Accounting, 128 bit Hard Dix Encryption, Hard Dix Overvinte, and increased Security Certificate protection   Meight (without supplies)	Duplex Printing	1 1 2
Hard Disk Overwrite, and increased Secure Pint Capacity and Security Certificate protection  Weight (without supplies)  Paper Input  Standard  Bypass Tray: 150 sheets: Custom sizes: 75 x 98 mm to A3, 210 x 900 mm and 297 x 1200 mm banners  Tray 1: 250 sheets. Custom sizes: 148 x 210 mm to 297 x 432 mm  Tray 2: 550 sheets. Custom sizes: 148 x 210 mm to 297 x 432 mm  Tray 3: 550 sheets. Custom sizes: 148 x 210 mm to 297 x 432 mm  Tray 3: 550 sheets. Custom sizes: 148 x 210 mm to 297 x 432 mm  Media Output Capacity  Poin, recycled, heavyweight, card stock, heavy card, glossy, glossy, card, labels, envelopes, hole punched, letterhead, pre-printed, custom 1:5 Input Paper Weight  Operating Environment  Emperature  Storage: 0° to 35° C. Operating: 5° to 32° C  Humidity  Operating: 15% to 85%; Storage: 15% to 86%; Storage: 15% to 86%  Acoustics:  Sound pressure levels: Printing less than 54 dB(A); Standby: less than 25 dB(A);  Sound pressure levels: Printing less than 5 d dB(A); Standby: less than 25 dB(A);  Sound pressure levels: Printing less than 5 d dB(A); Standby: less than 60 W  Standby: less than 75 W; Power Source: less than 60 W  Standby: less than 75 W; Power Source: less than 60 W  Warranty  One-year on-site warra	Print Features Standard	Earth Smart driver settings, Collation, Bi-directional driver, Smart Duplex <sup>1</sup> , Layout/watermark
Page   Humidity   Page   Poper   Pop	Optional	
Paper Input Standard Bypass Tray: 150 sheets: Custom sizes: 75 x 98 mm and 297 x 1200 mm banners Tray 1: 250 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Optional Tray 2: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Tray 3: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Tray 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Tray 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Tray 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Media Output Capacity 20 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Tray 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Media Output Capacity 5 to 320 sheets  Media Output Capacity 60 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Tray 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Media Output Capacity 7 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Tray 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Media Output Capacity 7 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Tray 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Tray 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Media Output Capacity 7 sheets: 148 x 210 mm to 297 x 432 mm  Tray 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Media Output Capacity 7 sheets: 148 x 210 mm to 297 x 432 mm  Media Output Capacity 8 sheets: 148 x 210 mm to 297 x 432 mm  Tray 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Media Output Capacity 8 sheets: 148 x 210 mm to 297 x 432 mm  Tray 5: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Media Output 6: 500 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Tray 5: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Tray 5: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Tray 5: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Tray 5: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Tray 5: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm  Tray 5: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432	Dimensions (WxDxH)	499.5 x 538 x 406 mm
Paper Input	Weight (without supplies)	44 kg
Paper Input	Paper Handling	
Optional   Troy 2: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 3: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm   Troy 4: 550 sheets		
Media Types   Plain, recycled, heavyweight, card stock, heavy card, glossy, glossy card, labels, envelopes, hole punched, letterhead, pre-printed, custom 1-5	Optional	<b>Tray 2:</b> 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm <b>Tray 3:</b> 550 sheets; Custom sizes: 148 x 210 mm to 297 x 432 mm
Input Paper Weight	Media Output Capacity	250 sheets
Operating Environment         Storage: 0" to 35" C; Operating: 5" to 32" C           Humidity         Operating: 15% to 85%; Storage: 15% to 80%           Acoustics:         Sound pressure levels: Printing: less than 54 dB(A); Standby: less than 25 dB(A); Sound power levels: Printing: less than 7.0 B(A); Standby: less than 4.3 B(A)           Electrical Power         220–240 VAC +10%, 50/60 Hz + 3%, 4,7 A or less;           Power consumption         Avg. Operations: less than 600 W           Standby: less than 75 W; Power Save: less than 55 W; Sleep: less than 0.9 W           EINERGY STAR* qualified           Warranty         One-year on-site warranty           Consumables         106R02623           Dual Pack Black toner cartridges (up to 10,000 pages*)         106R02623           Dual Pack Magenta toner cartridges (up to 9,000 pages*)         106R02621           Dual Pack Veal toner cartridges (up to 9,000 pages*)         106R02622           Dual Pack Veal toner cartridges (up to 9,000 pages*)         106R02620           Dual Pack Veal toner cartridges (up to 24,000 pages*)         108R01148           Imaging Drum - Black (up to 24,000 pages*)         108R01148           Imaging Drum - Black (up to 24,000 pages*)         108R01151           Waste Cartridge - CMY (up to 24,000 pages*)         108R0152           So-sheet Feeder         097504485           Automatic 2-sided Printing Upgrade	Media Types	Plain, recycled, heavyweight, card stock, heavy card, glossy, glossy card, labels, envelopes, hole punched, letterhead, pre-printed, custom 1-5
Temperature         Storage: 0" to 35" C; Operating: 5" to 82" C           Humidity         Operating: 15% to 85%; Storage: 15% to 80%           Acoustics:         Sound pressure levels: Printing: less than 54 dB(A); Standby: less than 25 dB(A); Sound power levels: Printing: less than 7.0 B(A); Standby: less than 4.3 B(A)           Electrical Power         220–240 VAC +10%, 50/60 Hz + 3%, 4.7 A or less;           Power consumption         Avg. Operations: less than 650 W           Standby: less than 75 W; Power Save: less than 55 W; Sleep: less than 0.9 W           ENERGY STAR® qualified           Warranty         One-year on-site warranty           Consumables           Dual Pack Black toner cartridges (up to 10,000 pages³)         106R02623           Dual Pack Koyan toner cartridges (up to 9,000 pages³)         106R02621           Dual Pack Magenta toner cartridges (up to 9,000 pages³)         106R02620           Imaging Drum - CMY (up to 24,000 pages³)         108R01148           Imaging Drum - Black (up to 24,000 pages³)         108R01151           Waste Cartridge - CMY (up to 24,000 pages²)         108R02624           Consumables         097S04485           So-sheet Feeder         097S04485           Automatic 2-sided Printing Upgrade         097S04486           Opgrade         097S04488	Input Paper Weight	60-216 gsm
Humidity         Operating: 15 % to 85 %; Storage: 15 % to 80 %           Acoustics:         Sound pressure levels: Printing: less than 5 d B(A); Standby: less than 25 dB(A);           Electrical Power         220-240 VAC +10 %, 50/60 Hz +3 %, 4,7 A or less;           Power consumption         Avg. Operations: less than 600 W           Standby: less than 75 W; Power Save: less than 55 W; Sleep: less than 0.9 W           ENERGY STAR® qualified           Warranty         One-year on-site warranty           Consumables           Dual Pack Black toner cartridges (up to 10,000 pages*)         106R02623           Dual Pack Uge to 9,000 pages*)         106R02621           Dual Pack Hagenta toner cartridges (up to 9,000 pages*)         106R02622           Dual Pack Yellow toner cartridges (up to 9,000 pages*)         106R02620           Imaging Drum - CMY (up to 24,000 pages*)         108R01148           Imaging Drum - Elack (up to 24,000 pages*)         108R01151           Waste Cartridge - CMY (up to 24,000 pages*)         108R02624           Consumables         108R02624           Consumables         50-sheet Feeder         097504485           Automatic 2-sided Printing Upgrade         097504485           Automatic 2-sided Printing Upgrade         097504488	Operating Environment	
Acoustics:  Sound pressure levels: Printing: less than 54 dB(A); Standby: less than 25 dB(A); Sound power levels: Printing: less than 7.0 B(A); Standby: less than 4.3 B(A)  Electrical Power  220–240 VAC +10%, 50/60 Hz + 3%, 4,7 A or less;  Power consumption  Avg. Operations: less than 600 W  Standby: less than 75 W; Power Save: less than 50 W; Sleep: less than 0.9 W ENERGY STAR® qualified  Warranty  Consumables  Dual Pack Black toner cartridges (up to 10,000 pages³)  Dual Pack Cyan toner cartridges (up to 9,000 pages³)  Dual Pack Magenta toner cartridges (up to 9,000 pages³)  Dual Pack Wellow toner cartridges (up to 9,000 pages³)  Dual Pack Vellow toner cartridges (up to 9,000 pages³)  Dual Pack Power  106R02620  Dual Pack Vellow toner cartridges (up to 9,000 pages³)  106R02620  Imaging Drum - CMY (up to 24,000 pages³)  108R01148  Imaging Drum - Black (up to 24,000 pages³)  108R01151  Waste Cartridge - CMY (up to 24,000 pages³)  108R02624  Consumables  550-sheet Feeder  097S04485  Automatic 2-sided Printing Upgrade  909TS04486  System Cart with Storage Drawer  1 GB Memory Upgrade  097S04488	Temperature	Storage: 0° to 35° C; Operating: 5° to 32°C
Sound power levels: Printing: less than 7.0 B(A): Standby: less than 4.3 B(A)   Electrical Power   220–240 VAC +10%, 50/60 Hz + 3%, 4.7 A or less;   Power consumption   Avg. Operations: less than 600 W     Standby: less than 75 W; Power Save: less than 55 W; Sleep: less than 0.9 W     ENERGY STAR® qualified     Warranty   One-year on-site warranty	Humidity	<b>Operating:</b> 15% to 85%; Storage: 15% to 80%
Power consumption  Standby: less than 75 W; Power Save: less than 600 W ENERGY STAR® qualified  Warranty  One-year on-site warranty  Consumables  Dual Pack Black toner cartridges (up to 10,000 pages³) Dual Pack Cyan toner cartridges (up to 9,000 pages³) Dual Pack Wagenta toner cartridges (up to 9,000 pages³) Dual Pack Vellow toner cartridges (up to 9,000 pages described to 9,000 pages described toner cartridges (up to 9,000 pages described toner c	Acoustics:	
Standby: less than 75 W; Power Save: less than 55 W; Sleep: less than 0.9 W ENERGY STAR® qualified  Warranty One-year on-site warranty  Dual Pack Black toner cartridges (up to 10,000 pages³) 106R02623  Dual Pack Cyan toner cartridges (up to 9,000 pages³) 106R02621  Dual Pack Magenta toner cartridges (up to 9,000 pages³) 106R02620  Dual Pack Vellow toner cartridges (up to 9,000 pages³) 106R02620  Imaging Drum - CMY (up to 24,000 pages³) 108R02148  Imaging Drum - Black (up to 24,000 pages°) 108R01151  Waste Cartridge - CMY (up to 24,000 pages°) 106R02624  Consumables  System Cart with Storage Drawer 9097S04485  Automatic 2-sided Printing Upgrade 997S04488	Electrical Power	220–240 VAC +10%, 50/60 Hz + 3%, 4.7 A or less;
Consumables           Dual Pack Black toner cartridges (up to 10,000 pages³)         106R02623           Dual Pack Cyan toner cartridges (up to 9,000 pages³)         106R02621           Dual Pack Magenta toner cartridges (up to 9,000 pages³)         106R02622           Dual Pack Yellow toner cartridges (up to 9,000 pages³)         106R02620           Imaging Drum - CMY (up to 24,000 pages³)         108R01148           Imaging Drum - Black (up to 24,000 pages²)         108R01151           Waste Cartridge - CMY (up to 24,000 pages²)         106R02624           Consumables         550-sheet Feeder           Automatic 2-sided Printing Upgrade         097504486           System Cart with Storage Drawer         097504488           1 GB Memory Upgrade         097504488	Power consumption	Standby: less than 75 W; Power Save: less than 55 W; Sleep: less than 0.9 W
Dual Pack Black toner cartridges (up to 10,000 pages³)       106R02623         Dual Pack Cyan toner cartridges (up to 9,000 pages³)       106R02621         Dual Pack Magenta toner cartridges (up to 9,000 pages³)       106R02622         Dual Pack Yellow toner cartridges (up to 9,000 pages³)       106R02620         Imaging Drum - CMY (up to 24,000 pages²)       108R01148         Imaging Drum - Black (up to 24,000 pages²)       108R01151         Waste Cartridge - CMY (up to 24,000 pages²)       106R02624         Consumables       550-sheet Feeder         Automatic 2-sided Printing Upgrade       097S04485         System Cart with Storage Drawer       097S04488         1 GB Memory Upgrade       097S04488	Warranty	One-year on-site warranty
Dual Pack Cyan toner cartridges (up to 9,000 pages³)       106R02621         Dual Pack Magenta toner cartridges (up to 9,000 pages³)       106R02622         Dual Pack Yellow toner cartridges (up to 9,000 pages³)       106R02620         Imaging Drum - CMY (up to 24,000 pages³)       108R01148         Imaging Drum - Black (up to 24,000 pages³)       108R01151         Waste Cartridge - CMY (up to 24,000 pages³)       106R02624         Consumables       550-sheet Feeder         Automatic 2-sided Printing Upgrade       097S04485         System Cart with Storage Drawer       097S04486         System Cart with Storage Drawer       097S04488	Consumables	
Dual Pack Cyan toner cartridges (up to 9,000 pages³)       106R02621         Dual Pack Magenta toner cartridges (up to 9,000 pages³)       106R02622         Dual Pack Yellow toner cartridges (up to 9,000 pages³)       106R02620         Imaging Drum - CMY (up to 24,000 pages³)       108R01148         Imaging Drum - Black (up to 24,000 pages³)       108R01151         Waste Cartridge - CMY (up to 24,000 pages³)       106R02624         Consumables       550-sheet Feeder         Automatic 2-sided Printing Upgrade       097S04485         System Cart with Storage Drawer       097S04486         System Cart with Storage Drawer       097S04488	Dual Pack Black toner cartridges (up to 10,000 pages <sup>3</sup> )	106R02623
Dual Pack Magenta toner cartridges (up to 9,000 pages³)       106R02622         Dual Pack Yellow toner cartridges (up to 9,000 pages³)       106R02620         Imaging Drum - CMY (up to 24,000 pages²)       108R01148         Imaging Drum - Black (up to 24,000 pages²)       108R01151         Waste Cartridge - CMY (up to 24,000 pages²)       106R02624         Consumables       550-sheet Feeder         Automatic 2-sided Printing Upgrade       097S04485         System Cart with Storage Drawer       097S04486         System Cart with Storage Drawer       097S04488		
Dual Pack Yellow toner cartridges (up to 9,000 pages³)       106R02620         Imaging Drum - CMY (up to 24,000 pages⁴)       108R01148         Imaging Drum - Black (up to 24,000 pages⁴)       108R01151         Waste Cartridge - CMY (up to 24,000 pages⁴)       106R02624         Consumables         550-sheet Feeder       097S04485         Automatic 2-sided Printing Upgrade       097S04486         System Cart with Storage Drawer       097S04488         1 GB Memory Upgrade       097S04488		
Imaging Drum - CMY (up to 24,000 pages <sup>4</sup> )       108R01148         Imaging Drum - Black (up to 24,000 pages <sup>4</sup> )       108R01151         Waste Cartridge - CMY (up to 24,000 pages <sup>6</sup> )       106R02624         Consumables       550-sheet Feeder         Automatic 2-sided Printing Upgrade       097504485         System Cart with Storage Drawer       09750452         1 GB Memory Upgrade       097504488	3 1 1 3	106R02620
Imaging Drum - Black (up to 24,000 pages <sup>6</sup> )       108R01151         Waste Cartridge - CMY (up to 24,000 pages <sup>6</sup> )       106R02624         Consumables       97504485         Sob-sheet Feeder       097504485         Automatic 2-sided Printing Upgrade       097504486         System Cart with Storage Drawer       097504552         1 GB Memory Upgrade       097504488		
Waste Cartridge - CMY (up to 24,000 pages <sup>6</sup> )       106R02624         Consumables       97504485         550-sheet Feeder       097504485         Automatic 2-sided Printing Upgrade       097504486         System Cart with Storage Drawer       097504552         1 GB Memory Upgrade       097504488	3 3 1 1 1 1 3 1	
Consumables           550-sheet Feeder         097504485           Automatic 2-sided Printing Upgrade         097504486           System Cart with Storage Drawer         097504552           1 GB Memory Upgrade         097504488		
550-sheet Feeder         097504485           Automatic 2-sided Printing Upgrade         097504486           System Cart with Storage Drawer         097504552           1 GB Memory Upgrade         097504488		
Automatic 2-sided Printing Upgrade         097504486           System Cart with Storage Drawer         097504552           1 GB Memory Upgrade         097504488		097504485
System Cart with Storage Drawer         097504552           1 GB Memory Upgrade         097504488		
1 GB Memory Upgrade 097504488		
	Productivity Kit w/ 40 GB Hard Disk Drive	097504487















